

AN ISO 9001:14001 CERTIFIED CO.

A **KRAFT**
LED LIGHTING



Life just got
BRIGHTER



LED Products and
Pricing Guide
DEC 2021 - LP 01
www.kraftcable.com

AN ISO 9001:14001 CERTIFIED CO.



A better tomorrow begins with

INNOVATIVE
today

KRAFT is an Electrical products pioneer with deep roots and even deeper expertise. In the last two decades, we've led by turning innovation into industry-leading solutions, demonstrating our expertise in advanced products and proven quality infusion for the need of better life's.

We believe humans are our most precious resource, we've known just how much light matters for them. Simply put, you can't move forward unless you can clearly see where you're going.

So we make it our sole mission to light the best path.

We see light as the great enabler and protector of the human experience. And we use it to make things better, safer, more productive, and smarter – to enable and enhance all the precious activities of people's daily lives.

Index

S.No.	Description	Page No.
1.	LED BATTEN LIGHT	01
2.	LED PANEL LIGHT	02
3.	LED SURFACE LIGHT	03
4.	LED FLOOD & STREET LIGHT	04
5.	LED SPOT LIGHT	05
6.	LED SMD JUNCTION BOX FITTING, JUNCTION BOX, 7w+7w MAGIC, STRICKER,	06
7.	COB JUNCTION BOX FITTING LED SMD JUNCTION BOX FITTING & SPOT LIGHT	07
8.	BULK HEAD WALL LIGHT LED STRIP DRIVER RGB ROPE LIGHT	08
9.	LED ROPE LIGHT & STRIP LIGHT	09

AN ISO 9001:14001 CERTIFIED CO.



Make life a
BRIGHTER
reality!



www.kraftcable.com

AN ISO 9001:14001 CERTIFIED CO.

KRAFT
LED LIGHTING



It's the way of *New*
Lighting



Mirolta T5 LED Batten

P.Code	Power	Col.Temp	PF	Size	Lumens	MRP ₹	PKG.
Mirolta - 22watt T5 LED Batten							
K - 11 001	22	6500K	>0.9	4.0 ft	2000lm	540.00	50
K - 11 001	22	4000K	>0.9	4.0 ft	2000lm	540.00	50
K - 11 001	22	3000K	>0.9	4.0 ft	2000lm	540.00	50
Mirolta - 10watt T5 LED Batten							
K - 11 004	10	6500K	>0.9	2.0 ft	1000lm	430.00	50
K - 11 004	10	4000K	>0.9	2.0 ft	1000lm	430.00	50
K - 11 004	10	3000K	>0.9	2.0 ft	1000lm	430.00	50
Mirolta - 5watt T5 LED Batten							
K - 11 005	5	6500K	>0.9	1.0 ft	500lm	360.00	50
K - 11 005	5	4000K	>0.9	1.0 ft	500lm	360.00	50
K - 11 005	5	3000K	>0.9	1.0 ft	500lm	360.00	50



Flat plus LED Batten

P.Code	Power	Col.Temp	PF	Size	Lumens	MRP ₹	PKG.
Flat Plus - 36watt LED Batten							
K - 11 006	36	6500K	>0.9	4.0 ft	3500lm	1170.00	20
K - 11 007	36	4000K	>0.9	4.0 ft	3500lm	1170.00	20
K - 11 008	36	3000K	>0.9	4.0 ft	3500lm	1170.00	20
Flat Plus - 54watt LED Batten							
K - 11 009	54	6500K	>0.9	4.0 ft	5000lm	1530.00	20
K - 11 010	54	4000K	>0.9	4.0 ft	5000lm	1530.00	20
K - 11 011	54	3000K	>0.9	4.0 ft	5000lm	1530.00	20

AN ISO 9001:14001 CERTIFIED CO.



Lights to
ILLUMINATE
homes & hearts

www.kraftcable.com

Onlux SLIM LED PANEL LIGHT



P.Code	Power	Col.Temp	PF	Dimension	Cut.Dia.	Lumens	Angle	MRP ₹	PKG.
Onlux - 4watt Slim LED Panel - Square									
K - 11 020	4	6500K	>0.9	85x85	75	360lm	120	369.00	100
K - 11 020	4	4000K	>0.9	85x85	75	360lm	120	369.00	100
K - 11 020	4	3000K	>0.9	85x85	75	360lm	120	369.00	100
Onlux - 4watt Slim LED Panel - Round									
K - 11 021	4	6500K	>0.9	85	75	360lm	120	369.00	100
K - 11 021	4	4000K	>0.9	85	75	360lm	120	369.00	100
K - 11 021	4	3000K	>0.9	85	75	360lm	120	369.00	100
Onlux - 8watt Slim LED Panel - Square									
K - 11 022	8	6500K	>0.9	120x120	105	730lm	120	549.00	40
K - 11 022	8	4000K	>0.9	120x120	105	730lm	120	549.00	40
K - 11 022	8	3000K	>0.9	120x120	105	730lm	120	549.00	40
Onlux - 8watt Slim LED Panel - Round									
K - 11 023	8	6500K	>0.9	120	105	730lm	120	549.00	40
K - 11 023	8	4000K	>0.9	120	105	730lm	120	549.00	40
K - 11 023	8	3000K	>0.9	120	105	730lm	120	549.00	40
Onlux - 15watt Slim LED Panel - Square									
K - 11 024	15	6500K	>0.9	170x170	155	1350lm	120	819.00	40
K - 11 024	15	4000K	>0.9	170x170	155	1350lm	120	819.00	40
K - 11 024	15	3000K	>0.9	170x170	155	1350lm	120	819.00	40
Onlux - 15watt Slim LED Panel - Round									
K - 11 025	15	6500K	>0.9	170	155	1350lm	120	819.00	40
K - 11 025	15	4000K	>0.9	170	155	1350lm	120	819.00	40
K - 11 025	15	3000K	>0.9	170	155	1350lm	120	819.00	40
Onlux - 22watt Slim LED Panel - Square									
K - 11 024	22	6500K	>0.9	225x225	205	1980lm	120	1179.00	20
K - 11 024	22	4000K	>0.9	225x225	205	1980lm	120	1179.00	20
K - 11 024	22	3000K	>0.9	225x225	205	1980lm	120	1179.00	20
Onlux - 22watt Slim LED Panel - Round									
K - 11 025	22	6500K	>0.9	225x225	205	1980lm	120	1179.00	20
K - 11 025	22	4000K	>0.9	225x225	205	1980lm	120	1179.00	20
K - 11 025	22	3000K	>0.9	225x225	205	1980lm	120	1179.00	20

AN ISO 9001:14001 CERTIFIED CO.



ENHANCE
The Interior

LUXON LED SURFACE MOUNT PLUS



P.Code	Power	Col.Temp	PF	Dimension	Lumens	Angle	MRP ₹	PKG.
Luxon - 8watt Surface LED - Square								
K - 11 030	8	6500K	>0.9	120x120	730lm	120	729.00	40
K - 11 030	8	4000K	>0.9	120x120	730lm	120	729.00	40
K - 11 030	8	3000K	>0.9	120x120	730lm	120	729.00	40



Luxon - 8watt Surface LED - Round								
K - 11 031	8	6500K	>0.9	120	730lm	120	729.00	40
K - 11 031	8	4000K	>0.9	120	730lm	120	729.00	40
K - 11 031	8	3000K	>0.9	120	730lm	120	729.00	40



Luxon - 15watt Surface LED - Square								
K - 11 032	15	6500K	>0.9	170x170	1350lm	120	990.00	20
K - 11 032	15	4000K	>0.9	170x170	1350lm	120	990.00	20
K - 11 032	15	3000K	>0.9	170x170	1350lm	120	990.00	20



Luxon - 15watt Surface LED - Round								
K - 11 033	15	6500K	>0.9	170	1350lm	120	990.00	20
K - 11 033	15	4000K	>0.9	170	1350lm	120	990.00	20
K - 11 033	15	3000K	>0.9	170	1350lm	120	990.00	20



Luxon - 22watt Surface LED - Square								
K - 11 034	22	6500K	>0.9	215x215	1980lm	120	1449.00	20
K - 11 034	22	4000K	>0.9	215x215	1980lm	120	1449.00	20
K - 11 034	22	3000K	>0.9	215x215	1980lm	120	1449.00	20



Luxon - 22watt Surface LED - Round								
K - 11 035	22	6500K	>0.9	215	1980lm	120	1449.00	20
K - 11 035	22	4000K	>0.9	215	1980lm	120	1449.00	20
K - 11 035	22	3000K	>0.9	215	1980lm	120	1449.00	20



Not less than a **STAR**

www.kraftcable.com

AN ISO 9001:14001 CERTIFIED CO.



New way to

FADE AWAY

darkness

Flora

LED FLOOD LIGHT



P.Code	Power	Col.Temp	PF	Surge Protection	MRP ₹	PKG.
Flora - 30watt LED Flood Light						
K - 11 041	30	6500K	>0.9	4KV	1899.00	10
K - 11 041	30	3000K	>0.9	4KV	1899.00	10
Flora - 50watt LED Flood Light						
K - 11 043	50	6500K	>0.9	4KV	2259.00	10
K - 11 043	50	3000K	>0.9	4KV	2259.00	10
Flora - 100watt LED Flood Light						
K - 11 045	100	6500K	>0.9	4KV	3699.00	10
K - 11 045	100	3000K	>0.9	4KV	3699.00	10
Flora - 200watt LED Flood Light						
K - 11 047	200	6500K	>0.9	4KV	7299.00	4
K - 11 047	200	3000K	>0.9	4KV	7299.00	4

Olive

LED STREET LIGHT



P.Code	Power	Col.Temp	PF	Surge Protection	MRP ₹	PKG.
Olive - 20watt LED Street Light						
K - 11 051	20	6500K	>0.9	4KV	1539.00	30
K - 11 051	20	3000K	>0.9	4KV	1539.00	30
Olive - 30watt LED Street Light						
K - 11 053	30	6500K	>0.9	4KV	2079.00	30
K - 11 053	30	3000K	>0.9	4KV	2079.00	30
Olive - 50watt LED Street Light						
K - 11 055	50	6500K	>0.9	4KV	2709.00	20
K - 11 055	50	3000K	>0.9	4KV	2709.00	20
Olive - 100watt LED Street Light						
K - 11 057	100	6500K	>0.9	4KV	4329.00	10
K - 11 057	100	3000K	>0.9	4KV	4329.00	10

www.kraftcable.com

AN ISO 9001:14001 CERTIFIED CO.



PREMIUM
LIGHTINGS
made even Better

Zoom

LED SPOT LIGHT



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Zoom - 6watt LED Spot light								
K - 11 060	6	6500K	>0.9	78x62	70	38	729.00	50
K - 11 060	6	4000K	>0.9	78x62	70	38	729.00	50
K - 11 060	6	3000K	>0.9	78x62	70	38	729.00	50



Zoom - 9watt LED Spot light								
K - 11 061	9	6500K	>0.9	78x62	70	38	909.00	50
K - 11 061	9	4000K	>0.9	78x62	70	38	909.00	50
K - 11 061	9	3000K	>0.9	78x62	70	38	909.00	50



Zoom - 18watt LED Spot light								
K - 11 062	18	6500K	>0.9	99x78	90	60	1359.00	30
K - 11 062	18	4000K	>0.9	99x78	90	60	1359.00	30
K - 11 062	18	3000K	>0.9	99x78	90	60	1359.00	30



Zoom - 24watt LED Spot light								
K - 11 063	24	6500K	>0.9	122x80	110	60	1809.00	20
K - 11 063	24	4000K	>0.9	122x80	110	60	1809.00	20
K - 11 063	24	3000K	>0.9	122x80	110	60	1809.00	20



Zoom - 30watt LED Spot light								
K - 11 064	30	6500K	>0.9	122x90	110	60	1989.00	20
K - 11 064	30	4000K	>0.9	122x90	110	60	1989.00	20
K - 11 064	30	3000K	>0.9	122x90	110	60	1989.00	20



Zoom - 40watt LED Spot light								
K - 11 065	40	6500K	>0.9	142x82	130	60	2529.00	12
K - 11 065	40	4000K	>0.9	142x82	130	60	2529.00	12
K - 11 065	40	3000K	>0.9	142x82	130	60	2529.00	12

Making Life
Beautiful



Panel Light | COB Light | Flood Light | Street Light | Track Light | Wall Spot | Bulk head Surface COB
Junction box fitting | Batten Light | Rope Light | Strip Light | Inverter Bulb

AN ISO 9001:14001 CERTIFIED CO.

KRAFT
LED LIGHTING



Creating a
VIBRANT FEEL
in every home

www.kraftcable.com

Glaze

LED SMD
JUNCTION BOX FITTING



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Glaze - 3watt LED SMD Junction Box Fitting								
K - 11 070	3	6500K	>0.6	70x35	38.5	120	225.00	100
K - 11 070	3	3000K	>0.6	70x35	38.5	120	225.00	100

STARfit

LED JUNCTION BOX



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Star Fit - 7watt LED Junction Box Fitting								
K - 11 072	7	6500K	>0.6	110x45	75	120	396.00	100
K - 11 072	7	3000K	>0.6	110x45	75	120	396.00	100

Double Decker

7w+7w Magic



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Double Decker - 7w+7w Magic								
K - 11 074	7+7	Wh+Bl	>0.6	110x60	75	120	540.00	50
K - 11 074	7+7	Wh+Gr	>0.6	110x60	75	120	540.00	50
K - 11 074	7+7	Wh+Pk	>0.6	110x60	75	120	540.00	50

stricker

3watt



P.Code	Power	Col.Temp	PF	Dimension	Angle	MRP ₹	PKG.
Stricker - 3watt							
K - 11 170	3	6500K	>0.9	62x10	120	207.00	200
K - 11 170	3	3000K	>0.9	62x10	120	207.00	200

FOCUS

LED COB JUNCTION
BOX FITTING



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Focus - 3watt LED COB Junction Box Fitting								
K - 11 078	3	6500K	>0.6	70x35	52	38	297.00	100
K - 11 078	3	3000K	>0.6	70x35	52	38	297.00	100

AN ISO 9001:14001 CERTIFIED CO.

KRAFT
LED LIGHTING

LIGHTING SOLUTIONS
that sets **the right mood**
for everything you do.

Lighting a home or outdoor has come a long way. It is no longer about bringing light into a dark place, but, plays a part in the look and feel of the room, as well as influencing our moods. The possibilities are limited only by your own imagination.

KRAFT Lighting has the ability to create an atmosphere within an area using our led lighting solutions and often used to complement the requirement of the particular place.





BRIGHTER **Light**
BIGGER **Smile**

SHINE

LED SMD JUNCTION BOX FITTING



P.Code	Power	Col.Temp	PF	Dimension	Cut. Dia.	Angle	MRP ₹	PKG.
Shine - 6watt LED SMD 3inch Junction Box Fitting								
K - 12 000	6	CW	>0.6	110	75	120	315.00	100
K - 12 001	6	WW	>0.6	110	75	120	315.00	100
K - 12 002	6	BLUE	>0.6	110	75	120	324.00	100
K - 12 003	6	GREEN	>0.6	110	75	120	324.00	100
K - 12 004	6	RED	>0.6	110	75	120	324.00	100
K - 12 005	6	WW/CW/NW	>0.6	110	75	120	414.00	100
K - 12 006	6	RGB	>0.6	110	75	120	423.00	100

iball LED Spot Light



	Power	Col.Temp	PF	Dimension	Cut. Dia.	MRP ₹	PKG.
iball - 2watt LED Spot Light							
K - 12 200	2	CW	>0.6	32x23	25	189.00	200
K - 12 200	2	WW	>0.6	32x23	25	189.00	200
K - 12 200	2	BLUE	>0.6	32x23	25	189.00	200
K - 12 200	2	GREEN	>0.6	32x23	25	189.00	200
K - 12 200	2	PINK	>0.6	32x23	25	189.00	200
iball - 3watt LED Spot Light							
K - 12 300	3	CW	>0.6	40x25	30	279.00	200
K - 12 300	3	WW	>0.6	40x25	30	279.00	200
K - 12 300	3	BLUE	>0.6	40x25	30	279.00	200
K - 12 300	3	GREEN	>0.6	40x25	30	279.00	200
K - 12 300	3	PINK	>0.6	40x25	30	279.00	200



AN ISO 9001:14001 CERTIFIED CO.

KRAFT
LED LIGHTING



Tough Durable and
BRIGHT



www.kraftcable.com

UNO
LED BULK HEAD



P.Code	Power	Col.Temp	PF	IP	MRP ₹	PKG.
Uno - 10watt LED Bulk Head						
K - 11 061	10	6500K	>0.9	65	360.00	100
K - 11 061	10	3000K	>0.9	65	360.00	100
Uno - 18watt LED Bulk Head						
K - 11 063	18	6500K	>0.9	65	450.00	50
K - 11 063	18	3000K	>0.9	65	450.00	50

Zonk
LED WALL LIGHT IP65



P.Code	Power	Col.Temp	PF	IP	MRP ₹	PKG.
Zonk - 18watt LED Wall Light						
K - 11 065	18	6500K	>0.9	65	900.00	20
K - 11 065	18	3000K	>0.9	65	900.00	20
K - 11 066	18	6500K	>0.9	65	900.00	20
K - 11 066	18	3000K	>0.9	65	900.00	20
K - 11 067	18	6500K	>0.9	65	900.00	20
K - 11 067	18	3000K	>0.9	65	900.00	20
K - 11 068	18	6500K	>0.9	65	900.00	20
K - 11 068	18	3000K	>0.9	65	900.00	20

LED STRIP
POWER SUPPLY



P.Code	Power	Output	Dimension	MRP ₹
LED Strip - Power Supply Driver				
K - 11 511	24	12V 2Amps	103x30x21	459.00
K - 11 522	60	12V 5Amps	160x40x32	729.00
K - 11 533	120	12V 10Amps	188x46x35	999.00
K - 11 544	200	12V 16.5Amps	224x69x40	1359.00
K - 11 555	300	12V 25Amps	224x69x40	1899.00



ZEN RGB
ROPE LIGHT

P.Code	Power	Col.Temp	LED	IP	MRP ₹	PKG. 50 Mtrs. Drum
Zen RGB - Rope Lights						
K - 11 085	9w P/Mtr.	RGB	5050	65	12339.00	1

ZEN
ROPE LIGHT



P.Code	Power	Col.Temp	LED COUNT	IP	MRP ₹	PKG. 50 Mtrs. Drum
Zen - Rope Lights						
K - 11 080	7w P/Mtr.	C.WHITE	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	W.WHITE	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	N.WHITE	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	BLUE	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	GREEN	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	RED	2835 / 120	65	9999.00	1
K - 11 080	7w P/Mtr.	PINK	2835 / 120	65	9999.00	1

FLARE
LED Strip Lights



P.Code	Power	Col.Temp	LED COUNT	IP	MRP ₹	PKG.
Flare - LED Strip Lights						
K - 11 090	42	C.WHITE	2835 / 120	20	729.00	50
K - 11 090	42	W.WHITE	2835 / 120	20	729.00	50
K - 11 090	42	N.WHITE	2835 / 120	20	729.00	50
K - 11 090	42	BLUE	2835 / 120	20	729.00	50
K - 11 090	42	GREEN	2835 / 120	20	729.00	50
K - 11 090	42	RED	2835 / 120	20	729.00	50
K - 11 090	42	PINK	2835 / 120	20	729.00	50

BloSSom
LED Flexible Strip



P.Code	Power	Col.Temp	LED COUNT	IP	MRP ₹	PKG.
Blossom - LED Flexible Strip Lights						
K - 11 091	68	C.WHITE	2835 / 240	20	1629.00	50
K - 11 091	68	W.WHITE	2835 / 240	20	1629.00	50
K - 11 091	68	N.WHITE	2835 / 240	20	1629.00	50
K - 11 091	68	BLUE	2835 / 240	20	1629.00	50
K - 11 091	68	GREEN	2835 / 240	20	1629.00	50
K - 11 091	68	RED	2835 / 240	20	1629.00	50
K - 11 091	68	PINK	2835 / 240	20	1629.00	50

FireFly
Led Strip Lights



P.Code	Col.Temp	LED COUNT	IP	MRP ₹	PKG.
FireFly - LED Strip Lights					
K - 11 093	C.WHITE	4040 / 60	20	729.00	50
K - 11 093	W.WHITE	4040 / 60	20	729.00	50
K - 11 093	N.WHITE	4040 / 60	20	729.00	50
K - 11 093	BLUE	4040 / 60	20	729.00	50
K - 11 093	GREEN	4040 / 60	20	729.00	50
K - 11 093	RED	4040 / 60	20	729.00	50
K - 11 093	PINK	4040 / 60	20	729.00	50

TURNING YOUR HOUSE into **A HOME** #FestivalReady

AN ISO 9001:14001 CERTIFIED CO.



AN ISO 9001:14001 CERTIFIED CO.



Courage makes change and innovation possible.


Having the courage to do what is right is more critical today than ever. Courage is vital to challenge conventional thinking and envision new possibilities. Very often, the right decisions are the hardest ones to make. Our desire at KRAFT is to create innovative quality products with highest safety standards for our consumers to enhance their lifestyles by every passing day. Wide acceptance across the nation & numerous certifications and approvals justify our philosophy.

INTERNATIONALLY APPROVED





INNOVATION
Starts with a
Culture of
COURAGE



Date of Issue : December, 2021

Marketed By: **SANGHVI INTERNATIONAL**,
Nehru Timber Market, #4/1, Sattanna Naicken Street, 1st Floor,
Choolai, Chennai - 600 112 | Ph: 044 - 4850 3888
E-mail:ledsupport@kraftcable.com



Terms & Conditions

This price list cancels all our previous price list | Technical data and illustrations are preliminary | The Company reserves the rights to changes any of the above product specifications or prices without any prior notice | Information given herein is in good faith. Sanghvi International shall not be liable for any damages arising out of incorrect use | Upto 40% may be deductible on return of packed / unused goods | Warranty as per the mention period from the date on product | Applicable GST or any other levies will be charge extra | Imitation of graphics is a punishable offence | Any dispute are subject to Chennai. jurisdiction only | Prices for products not mentioned in the price list are available on request | Printing errors, mistakes and changes reserved at any time.

Copyrights© KRAFT ELECTRICAL CO. 2021 Brand identity, styling, concept, design.

No part of this brochure may be printed or duplicated without the consent of KRAFT ELECTRICAL CO. Patent TM & Designs protected | Infringement is liable for prosecution | Imitation of graphics is a punishable offence.

