

AN ISO 9001:14001 CERTIFIED CO.



A better tomorrow begins with
INNOVATIVE today



INTERNATIONALLY APPROVED



www.kraftcable.com

PRODUCT & PRICING GUIDE
LP 29 : 01st May, 2024

AN ISO 9001:14001 CERTIFIED CO.



- Domestic Wires
- Industrial Cables
- Heavy Duty Cables

SAFE & SECURE



INTERNATIONALLY APPROVED





House-Gard-Flame Retardant (FR)



45 Meters

Available in : 180 mtrs. (Double coil)
& 270 mtrs. (Triple coil)
Special project packaging on requirement.FR-LSH-Flame Retardant Low Smoke
and Halogen PVC Insulated Industrial Cable**FR - MULTI STRAND****HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS**

90 Mts

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-1	24/0.2	0.75	1404.00	20
KWC-2	14/0.3	1.0	1656.00	20
KWC-3	22/0.3	1.5	2871.00	16
KWC-4	36/0.3	2.5	4545.00	10
KWC-5	56/0.3	4.0	6876.00	8
Packing : Supplied in Attractive Cartons.				
KWC-6	84/0.3	6.0	10818.00	6
KWC-7	80/0.40	10.0	17190.00	4
KWC-8	126/0.40	16.0	26847.00	2
KWC-9	196/0.40	25.0	41607.00	1
KWC-10	276/0.40	35.0	60030.00	1
KWC-11	396/0.40	50.0	85248.00	1
Packing : Supplied in Polythene, Woven Bags and Cloth Packing.				

HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS

45 Mts

KWC-12	14/0.3	1.0	828.00	40
KWC-13	22/0.3	1.5	1440.00	32
KWC-14	36/0.3	2.5	2277.00	20
KWC-15	56/0.3	4.0	3438.00	16
Packing: Supplied in Attractive Cartons. (Box Pouch packing)				

HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS

180 Mts

KWC-16	14/0.3	1.0	3312.00	10
KWC-17	22/0.3	1.5	5742.00	8
KWC-18	36/0.3	2.5	9090.00	5
KWC-19	56/0.3	4.0	13752.00	4
Packing : Supplied in Polythene, Bags. (Project Packing)				450 mtrs
KWC-20	14/0.3	1.0	8280.00	4
KWC-21	22/0.3	1.5	14355.00	4
KWC-22	36/0.3	2.5	22725.00	2
KWC-23	56/0.3	4.0	34380.00	2
Packing : Wooden Drum				

FRLSH - MULTI STRAND**SECURE-GARD-FR-LSH MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS**

90 Mts

KWC-24	14/0.3	1.0	2016.00	20
KWC-25	22/0.3	1.5	2916.00	16
KWC-26	36/0.3	2.5	4761.00	10
KWC-27	56/0.3	4.0	6957.00	8
KWC-27B	84/0.3	6.0	11394.00	6
KWC-24A	14/0.3	1.0	4023.00	16
KWC-25A	22/0.3	1.5	5823.00	10
KWC-26A	36/0.3	2.5	9513.00	10
KWC-27A	56/0.3	4.0	13914.00	5

180 Mts



HRFR - MULTI STRAND

HEAT RESISTANT FLAME RETARDANT (HRFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS



90 Mts



HRFR Heat Resistant Flame Retardant PVC Insulated Industrial Cable

Product Code	Number / Dia of Wire in mm	Number Area of Cond. in Sq. mm	Price ₹ Per 90 mtrs	Std. Pkg.
KWC-28	14/0.3	1.0	2178.00	20
KWC-29	22/0.3	1.5	3078.00	16
KWC-30	36/0.3	2.5	4914.00	10
KWC-31	56/0.3	4.0	7524.00	8

ZHFR - MULTI STRAND

ZERO HALOGEN FLAME RETARDANT (ZHFR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE INDUSTRIAL CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS



90 Mts



ZHFR Zero Halogen Flame Retardant PVC Insulated Industrial Cable

KWC-32	14/0.3	1.0	2466.00	20
KWC-33	22/0.3	1.5	3330.00	16
KWC-34	36/0.3	2.5	5220.00	10
KWC-35	56/0.3	4.0	7884.00	8

VIR (COPPER)

P.V.C. INSULATED SINGLE CORE UNSHEATHED SOLID / STRANDED COPPER WIRE INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694 TWISTED



90 Mts



PVC Insulated Single Core Un-Sheathed Solid Stranded Copper Wire

Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-36	1/.044	1.0 Sq. mm	2466.00	20
KWC-37	3/.032	1.5 Sq. mm	3474.00	16
KWC-38	3/.041	2.5 Sq. mm (Light)	5409.00	12
KWC-39	3/.041	2.5 Sq. mm (Heavy)	5796.00	10
KWC-40	7/.034	4.0 Sq. mm (Light)	8676.00	6
KWC-41	7/.034	4.0 Sq. mm (Heavy)	8766.00	5
KWC-42	7/.041	6.0 Sq. mm (7/18)	12519.00	5
KWC-43	7/.053	10.0 Sq. mm	21204.00	6
KWC-44	7/.067	16.0 Sq. mm (7/16)	32211.00	4
KWC-45	19/.051	25.0 Sq. mm	52263.00	2
KWC-46	19/.060	35.0 Sq. mm	71604.00	1
KWC-47	19/.070	50.0 Sq. mm	98397.00	1
KWC-48	37/.061	70.0 Sq. mm	145125.00	1
KWC-49	37/.071	95.0 Sq. mm	198387.00	1

Packing : Supplied in Attractive Cartons, Polythene, Woven Bags And Cloth Packing
Longer length available on request.

630 mtrs

KWC-50	3/.041	2.5 Sq. mm (Light)	37755.00	1
KWC-51	3/.041	2.5 Sq. mm (Heavy)	40644.00	1

Packing : Supplied in **BUCKET PACK**

450 mtrs

KWC-52	7/.034	4.0 Sq. mm (Light)	43281.00	1
KWC-53	7/.034	4.0 Sq. mm (Heavy)	43830.00	1

Packing : Supplied in **BUCKET PACK**



CTS COPPER WIRE
**P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE
INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694:1990 TWISTED (CTS)**


90 Mts



CTS Copper Wire


Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-54	3/.041	2.5 (CTS)	5220.00	8
KWC-55	7/034	4.0 (CTS)	9324.00	5

Packing : Supplied in Polythene and Woven Bags.

450 mtrs

KWC-56	3/.041	2.5 (CTS)	26028.00	1
KWC-57	7/034	4.0 (CTS)	46620.00	1

Packing : Supplied in BUCKET PACK

SUBMERSIBLE FLAT CABLE
3 CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR PVC INSULATED & SHEATHED INDUSTRIAL CABLE AS PER IS : 694:2010 FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UPTO 1100 VOLTS


Submersible 3 Core Flat Cables

Product Code	Number / Dia of Wire in mm	Nominal Area of Cond. in Sq.mm	Price ₹ per mtrs
KWC-58	22/0.3 mm	1.5 Sq.mm	106.20
KWC-59	36/0.3 mm	2.5 Sq.mm	159.30
KWC-60	56/0.3 mm	4.0 Sq.mm	229.50
KWC-61	84/0.3 mm	6.0 Sq.mm	369.00
KWC-62	112/0.3 mm	8.0 Sq.mm	549.00
KWC-62A	140/0.3 mm	10.0 Sq.mm	648.00
KWC-63	101/0.45 mm	16.0 Sq.mm	1017.00
KWC-64	157/0.45 mm	25.0 Sq.mm	1530.00

Completely Reliable Agricultural Submersible Cables



Wires formulated for secured operations in every condition



Aluminum Service Wire



Aluminum Service Wire



CTS Aluminium Wire



CTS Aluminium Wire

PVC INSULATED SINGLE CORE STRANDED ALUMINIUM CONDUCTOR SHEATHED WEATHER PROOF SERVICE WIRE



90 Mts

Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-65	7/.034	4.0 Sq.mm	1809.00	
KWC-66	7/.041	6.0 Sq.mm	2331.00	
KWC-67	7/.053	10.0 Sq.mm	3168.00	
KWC-68	7/.067	16.0 Sq.mm	5346.00	
450 mtrs				
KWC-69	7/.034	4.0 Sq.mm	8982.00	
KWC-70	7/.041	6.0 Sq.mm	11583.00	
KWC-71	7/.053	10.0 Sq.mm	15858.00	
KWC-72	7/.067	16.0 Sq.mm	26739.00	
Packing : Supplied in Wooden Drum				
450 mtrs				
TWIN ALUMINIUM SERVICE WIRE (BLUE)				
KWC-137	7/.036	4.5 Sq.mm	26802.00	
CTS ALUMINIUM WIRE				

PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS - CTS



90 Mts


Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-73	7/034	4.0 SQ MM	1485.00	12
KWC-74	7/041	6.0 SQ MM	1935.00	10
KWC-75	7/053	10.0 SQ MM	3654.00	5
CTS ALUMINIUM WIRE				

PVC INSULATED SINGLE CORE SHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS (CTS)



450 Mts

Product Code	Number / Dia of Wire in Inches	Number / Dia of Wire in Sq. mm	Price ₹	Std. Pkg.
KWC-76	7/034	4.0 SQ MM	7425.00	
KWC-77	7/041	6.0 SQ MM	9675.00	
KWC-78	7/053	10.0 SQ MM	18270.00	
Packing : Supplied in Wooden Drum				



Stranded Aluminium Wire



Stranded Aluminium Wire



Aluminium Service Wire



Solid / Stranded Copper Cables



Solid / Stranded Copper Cables

STRANDED ALUMINIUM WIRE**PVC INSULATED SINGLE CORE UNSHEATHED STRANDED ALUMINIUM WIRE VOLTAGE GRADE 1100 VOLTS**

90 Mts

Product Code	Number / Dia of Wire in mm	S.W.G	Price ₹	Std. Pkg.
KWC-79	3/036	3/20	1062.00	20
KWC-80	7/036	7/20	1557.00	16
KWC-81	7/044	7/18	2052.00	12
KWC-82	7/064	7/16	4086.00	5
KWC-83	19/064	19/16	9882.00	2
				450 mtrs
KWC-84	7/036	7/20	7785.00	1
KWC-85	7/044	7/18	10260.00	1
KWC-86	7/064	7/16	20430.00	1

Packing : Supplied in Wooden Drum

TWIN FLAT CORE STRANDED ALUMINIUM CONDUCTOR INSULATED UNSHEATHED WEATHER PROOF SERVICE WIRE (AVAILABLE IN BLACK & WHITE)

90 Mts

Product Code	Number / Dia of Wire in inches	Nominal Area of Cond. in Sq.mm	Price ₹	
KWC-87	7/036	4.5 Sq.mm	5355.00	
KWC-88	7/044	6.0 Sq.mm	6822.00	
				450 mtrs
KWC-89	7/036	4.5 Sq.mm	26775.00	
KWC-90	7/044	6.0 Sq.mm	34074.00	


VIR (COPPER)**P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE VOLTAGE GRADE 1100 VOLTS**

90 Mts

KWC-90A	1/036	1/18	1917.00	2
KWC-91	3/036	3/20 (Light)	3870.00	12
KWC-92	3/036	3/20 (Heavy)	3969.00	10
KWC-92A	7/064	7/16	31140.00	2
				630 mtrs
KWC-93	3/036	3/20 (Light)	27018.00	1
KWC-94A	3/036	3/20 (Heavy)	27783.00	1
KWC-92B	7/064	7/16	217908.00	1

Packing : Supplied in Polythene

Packing : Supplied in BUCKET PACK



SPEAKER WIRE

PVC INSULATED TWIN FLAT / TWIN PARALLEL FLEXIBLE COPPER WIRE

90 Mts

Product Code	Number / Dia of Wire in Inches	Price ₹	Std. Pkg.
KWC-95	14/0060-Twin Flat	1773.00	20
KWC-96	23/0060 Twin Flat	2160.00	20
KWC-97	23/0060 Twin Parallel	1998.00	20

SPEAKER WIRE

KWC-141	14/0060 Twin Parallel(Crystal TCBC)	1818.00	20
KWC-142	23/0060 Twin Parallel(Crystal TCBC)	2529.00	20

New Product



Twin Flat Copper Wire



Networking LAN Cable



CCTV Cables



Telephone (Switch Board) Cables

- No cross talk
- Voice clarity
- Zero noise level
- Fire retardant jacket
- Low attenuation
- High speed transmission

LAN (COMPUTER) NETWORKING UNSHIELDED TWISTED PAIR (UTP) CABLES

90 Mts

Product Code	Description	Price ₹	Pkg.
KWC-100	CAT 5e	17478.00	2
KWC-101	CAT 6	23832.00	2

Packing : Supplied in 305 Mtrs in Box Packing

CLOSE CIRCUIT TELEVISION (CCTV) ROUND CABLES

100 Mts

KWC-102	3 + 1	7821.00	
KWC-103	4 + 1	9036.00	

TELEPHONE (SWITCH BOARD) INDUSTRIAL CABLES GENERALLY CONFORMING TO AS PER ITD SPECIFICATION S/WS-0113B,113C & 114B AND DOT SPECIFICATION GR/WIR-06/03 MAR - 02 AND INTERNATIONAL SPECIFICATION

90 Mts

Product Code	Number of Pairs	Number / Dia of Cond.(0.4mm) Price ₹ Per 90 Mts	Number / Dia of Cond.(0.5mm) Price ₹ Per 90 Mts	Std. Pkg.
KWC-104	1 Pair	1287.00	1674.00	20
KWC-105	2 Pair	2007.00	2700.00	20
KWC-106	3 Pair	2862.00	3978.00	12
KWC-107	4 Pair	3672.00	5211.00	5
KWC-108	5 Pair	4356.00	6363.00	3

Note : 6 To 100 Pair Rs.540/- Each Pair 100 Mtrs Taped With Tined Copper F.R. P.V.C.

HOUSE-GARD-FLAME RETARDANT (FR) MULTI STRAND SINGLE CORE UNSHEATHED FLEXIBLE CABLES IN VOLTAGE GRADE UP TO AND INCLUDING 1100 VOLTS


90 Mts

KWC-126	28/0.3	2.0	4140.00	12
---------	--------	-----	---------	----

FLEXIBLE COPPER WIRE

PVC INSULATED TWISTED FLEXIBLE COPPER WIRE

90 Mts



Flexible Copper Wire

Product Code	Number / Dia of Wire in Inches	Price ₹	Std. Pkg.
KWC-109	14/0052	1089.00	24
KWC-110	14/0052-Heavy	1134.00	20
KWC-111	14/0060	1296.00	24
KWC-112	14/0076	1890.00	20
KWC-113	14/0076-Single	819.00	50
KWC-114	23/0052	1764.00	20
KWC-115	23/0060	1935.00	20
KWC-116	23/0076	2916.00	16
KWC-117	40/0052	2736.00	12
KWC-118	40/0060	3330.00	12
KWC-119	40/0076	5058.00	12

CO-AXIAL CABLES WITH ELECTROLYTIC GRADE SOLID BARE COPPER CONDUCTOR GAS INJECTED PHYSICAL FOAM JELLY FLOODED CABLES



Co-Axial Cables

Product Code	Size	Price ₹ 100 mtrs	Price ₹ 305 mtrs
KWC-120	RG-59	CCU 3636.00	11232.00
KWC-121	RG-59	CCS 2520.00	7821.00
KWC-122	RG-6	CCS 3042.00	9252.00
KWC-123	RG-6	CCU 4680.00	14454.00
KWC-124	RG-11	CCU 12294.00	37404.00
KWC-125	RG-11	CCS 10035.00	22968.00

Packing : Supplied in 100 mtrs & 305 Mtrs. in attractive cotton & **Wooden Drum**
longer length available request.

CTS COPPER WIRE

P.V.C. INSULATED SINGLE CORE SHEATHED SOLID / STRANDED COPPER WIRE INDUSTRIAL CABLE VOLTAGE GRADE 1100 VOLTS as per IS:694:1990 TWISTED (CTS)

90 Mts
/630 Mts

KWC-127	3/036	3/20	5067.00	8
KWC-127B (630)	3/036	3/20	35469.00	1

ULTRA FLEXIBLE FLAME RETARDANT (UFFR) MULTI STRAND SINGLE CORE UNSHEATHED INDUSTRIAL CABLES IN VOLTAGE GRADE UPTO AND INCLUDING 1100 VOLTS

90 Mts

KWC-128	32/0.2	1.0	1764.00	20
KWC-129	30/0.25	1.5	2502.00	16
KWC-130	50/0.25	2.5	4185.00	10
KWC-131	56/0.3	4.0	6201.00	8

PVC / XLPE INSULATED SHEATHED SOLID / STRANDED COPPER WIRE VOLTAGE GRADE 1100 VOLTS AS PER IS:694:1990 TWISTED IND. CABLE (CTS).

90 / 450 Mts

KWC-132	3 / .041	2.5 (CTS) 90Mts	5778.00	8
KWC-133	7 / .034	4.0 (CTS) 90Mts	10647.00	5
KWC-134	7 / .041	6.0 (CTS) 90Mts	15444.00	4
KWC-135	3 / .041	2.5 (CTS) 450Mts	28890.00	1
KWC-136	7 / .034	4.0 (CTS) 450Mts	53217.00	1



CTS Copper Wire



UFFR - ULTRA FLEXIBLE FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES (MULTISTRAND)

MULTICORE

Multicore Round Flexible Cables

- Bright Annealed 99.9% pure bare copper
- Special grade PVC Compound
- Outer PVC Jacket protects it from the Oil, Grease, Various Chemicals.



PVC INSULATED & PVC ROUND SHEATHED MULTI CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE INDUSTRIAL CABLES FOR VOLTAGE GRADE UPTO 1100 VOLTS AS PER IS 694 (2010) - 100 Mts



MM	Size	1 Core	2 Core	3 Core	4 Core	5 Core
0.50	16/0.20	1089.00	3330.00	4356.00	5652.00	7218.00
0.75	24/0.20	1440.00	4356.00	6003.00	8109.00	9684.00
1.00	32/0.20	1890.00	5778.00	7866.00	9648.00	12258.00
1.50	22/0.30 (30/0.25)	2916.00	7092.00	10125.00	12843.00	16911.00
2.50	36/0.30 (50/0.25)	4779.00	10989.00	14931.00	19944.00	25668.00
4.00	56/0.30 (80/0.25)	7290.00	16767.00	23499.00	31338.00	38835.00
6.00	84/0.30	-----	24984.00	35397.00	45342.00	59715.00
10.00	140/0.30	18783.00	40446.00	61668.00	80856.00	102051.00
16.00	101/0.20	30042.00	66285.00	90837.00	122463.00	154053.00
25.00	157/0.45	43326.00	99630.00	144675.00	182358.00	225675.00
35.00	220/0.45	57771.00	139572.00	199674.00	253971.00	323406.00
50.00	314/0.45	86634.00	-----	290061.00	368163.00	-----
70.00	354/0.50	124182.00	-----	394155.00	518310.00	-----
95.00	484/0.50	171819.00	-----	556713.00	741942.00	-----
120.00	614/0.50	211788.00	-----	700236.00	892098.00	-----
150.00	750/0.50	266670.00	-----	-----	-----	-----
185.00	925/0.50	331794.00	-----	-----	-----	-----
240.00	1221/0.50	433125.00	-----	-----	-----	-----
300.00	1521/0.20	532026.00	-----	-----	-----	-----
400.00	2036/0.20	707031.00	-----	-----	-----	-----

Packing : Supplied in **100 Mts in Woven Bag**. Longer Length available on request.



INNOVATION

Starts with a
Culture of
COURAGE

Courage makes change and innovation possible.


Having the courage to do what is right is more critical today than ever. Courage is vital to challenge conventional thinking and envision new possibilities. Very often, the right decisions are the hardest ones to make. Our desire at KRAFT is to create innovative quality products with highest safety standards for our consumers to enhance their lifestyles by every passing day. Wide acceptance across the nation & numerous certifications and approvals justify our philosophy.

INTERNATIONALLY APPROVED




Certifications & Approvals


"You can Dream, Create, Design and Build the most wonderful place in the world.
But it requires the right wire to make the dream a safer reality."



BIS (Bureau of Indian Standards)



ISO 9001:2015
(International Standards Organization)



ISO 14001:2015
(International Standards Organization)




RoHS Certificate in UK Certification, London



PWD (Public Works Department)



TNHB (Tamilnadu Housing Board)




ISO 45001:2018
(International Standards Organization)




CE (European Certificate)




Good Manufacturing Practice (GMP) System



TNPSC (Tamil Nadu Police
Housing Corporation)



CETL (Central Electrical
Testing Laboratory)



NTH (National
Test House)



CIMEC

Date of Issue : 01st May, 2024

Wires & Cables
Switch Gears
LED Lighting Solutions



This price list cancels all our previous price list | Technical data and illustrations are preliminary | The Company reserves the rights to changes any of the above product specifications or prices without any prior notice | Information given herein is in good faith. Sankeshwara Industries shall not be liable for any damages arising out of incorrect use | Upto 25% may be deductible on return of packed / unused goods | Applicable GST or any other levies will be charge extra | Imitation of graphics is a punishable offence | Any dispute are subject to Delhi jurisdiction only | Prices for products not mentioned in the price list are available on request | Company reserves the right to issue amendments to rectify any error in this price list.