

AN ISO 9001:14001 CERTIFIED CO.



LEVEL UP

SAFETY



Internationally Approved :



SWITCH GEARS

PRODUCT & PRICING MANUAL
LP 04 - MARCH 2022.

Converting CONCEPTS into **REALITY!**


As a leading electrical product manufacturer in India, we are dedicated to making your home, offices, Industries and logistic sector safer.

At **KRAFT**, we constantly challenge ourselves to innovate & improve our product's worth. And understand that our products are integrated component of the daily life. So they are designed to maximize the safety of electricity flow, keeping in mind the end user's well-being. Thus, we are focused on enhancing safety and have instituted the most advanced quality practices, aiming to set new benchmark in our industry segment. our relentless pursuit of quality has been recognized by most demanding institutes, in the form of certifications and approvals which we have been receiving over the years.

INTERNATIONALLY APPROVED



MCB's & RCCB's



Pad Lock for MCB dolly/knob in ON/OFF conditions

Bi-Stable Clip

Contact Position Indicator

Cable Termination upto 25 mm² Cable

SALIENT FEATURES

- Safe from bulge or wrap, when high cross sectional cables are terminated.
- Apt for Reverse Feed Connections (Line and Load) & Rated Breaking Capacity 10 kA.
- Coloured indication of switch-ON and OFF positions.
- Silver Graphite contact tips assure Antiweld Property.
- Snap-On-Back mounting for 35mm x 15mm symmetrical DIN rail.
- Terminals suitable for Cable+Bus bar termination.
- Terminal capacity 1-25 mm² & Terminal fastening torque 2.0-2.5 Nm



Ensures Safety




Shockproof Life



Less Maintenance




Trip-Free Mechanism



MCB's


Single Pole Smart 10kA 'C' Curve

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 201	0.5 - 5 AMP.	12	240	207.00
K - 11 202	6 - 32 AMP.*	12	240	135.00
K - 11 203	40 AMP.	12	240	306.00
K - 11 204	50- 63 AMP.	12	240	369.00




Single Pole N 10kA 'C' Curve

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 205	0.5 - 5 AMP.	6	120	495.00
K - 11 206	6 - 32 AMP.*	6	120	468.00
K - 11 207	40 AMP.	6	120	585.00
K - 11 208	50- 63 AMP.	6	120	711.00




Double Pole N 10kA 'C' Curve (DP)

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 209	0.5 - 5 AMP.	6	120	513.00
K - 11 210	6 - 32 AMP.*	6	120	432.00
K - 11 211	40 AMP.	6	120	486.00
K - 11 212	50- 63 AMP.	6	120	531.00




Three Pole 10kA 'C' Curve (TP)

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 213	0.5 - 5 AMP.	4	80	810.00
K - 11 214	6 - 32 AMP.*	4	80	684.00
K - 11 215	40 AMP.	4	80	945.00
K - 11 216	50- 63 AMP.	4	80	1269.00



Three Pole N 10kA 'C' Curve

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 217	0.5 - 5 AMP.	3	60	1170.00
K - 11 218	6 - 32 AMP.*	3	60	1044.00
K - 11 219	40 AMP.	3	60	1332.00
K - 11 220	50- 63 AMP.	3	60	1665.00



*Ratings : 6A, 10A, 16A, 20A, 25A & 32A



MCB's

Four Pole Smart 10kA 'C' Curve (FP)

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 221	0.5 - 5 AMP.	3	60	1206.00
K - 11 222	6 - 32 AMP.*	3	60	954.00
K - 11 223	40 AMP.	3	60	1206.00
K - 11 224	50- 63 AMP.	3	60	1548.00

ISOLATORS

Single Pole N

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 225	25 amp.	12	240	189.00
K - 11 226	40 amp.	12	240	189.00
K - 11 227	63 amp.	12	240	225.00

Double Pole (DP)

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 228	25 amp.	6	120	297.00
K - 11 229	40 amp.	6	120	333.00
K - 11 230	63 amp.	6	120	387.00
K - 11 231	80 amp.	6	120	639.00
K - 11 232	100 amp.	6	120	657.00



Three Pole (TP)


Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 233	25 amp.	4	80	531.00
K - 11 234	40 amp.	4	80	531.00
K - 11 235	63 amp.	4	80	594.00
K - 11 236	80 amp.	4	80	720.00
K - 11 237	100 amp.	4	80	738.00

Four Pole (FP)

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 238	25 amp.	3	60	693.00
K - 11 239	40 amp.	3	60	693.00
K - 11 240	63 amp.	3	60	720.00
K - 11 241	80 amp.	3	60	1161.00
K - 11 242	100 amp.	3	60	1188.00

*Ratings : 6A, 10A, 16A, 20A, 25A & 32A






Change Over

Double Pole Smart Two - Way Center off Mini Change Over Switch

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 243	25 amp.	6	120	495.00
K - 11 244	40 amp.	6	120	495.00
K - 11 245	63 amp.	6	120	621.00



Four Pole Smart Two - Way Center off Mini Change Over Switch

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 246	25 amp.	3	60	981.00
K - 11 247	40 amp.	3	60	1026.00
K - 11 248	63 amp.	3	60	1440.00

RCCB

Double Pole (DP)

Product Code	Rating / Amps.	Sensitivity (mA)	Price / Unit (₹)
K - 11 249	16-25 amp.	100-300 mA	2214.00
K - 11 250	40 amp.	100-300mA	2214.00
K - 11 251	63 amp.	100-300mA	3321.00
K - 11 252	80 amp.	100-300mA	4320.00
K - 11 253	100 amp.	100-300mA	4428.00
K - 11 254	16-25 amp.	30 mA	2106.00
K - 11 255	40 amp.	30 mA	2214.00
K - 11 256	63 amp.	30 mA	3096.00
K - 11 257	80 amp.	30 mA	4095.00
K - 11 258	100 amp.	30 mA	4095.00





Four Pole

Product Code	Rating / Amps.	Sensitivity (mA)	Price / Unit (₹)
K - 11 259	16-25 amp.	30 mA	2214.00
K - 11 260	40 amp.	30 mA	2322.00
K - 11 261	63 amp.	30 mA	3546.00
K - 11 262	80 amp.	30 mA	4428.00
K - 11 263	100 amp.	30 mA	4536.00
K - 11 264	16-25 amp.	100-300 mA	2313.00
K - 11 265	40 amp.	100-300mA	2313.00
K - 11 266	63 amp.	100-300mA	3321.00
K - 11 267	80 amp.	100-300mA	4428.00
K - 11 268	100 amp.	100-300mA	4428.00



Because we have **Nothing** to hide !!



MCB's

AN ISO 9001:14001 CERTIFIED CO.



TECHNOLOGY
for smooth operations



www.kraftcable.in



AN ISO 9001:14001 CERTIFIED CO.



Single Pole - N Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 401	16 Amp. 240V.	18	576.00
K - 11 402	32 Amp. 240V.	8	1233.00



Double Pole Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 403	16 Amp. 240V.	18	585.00
K - 11 404	32 Amp. 240V.	8	1296.00



Three Pole Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 405	16 Amp. 415V.	6	1665.00
K - 11 406	32 Amp. 415V.	4	2007.00
K - 11 407	63 Amp. 415V.	2	5040.00
K - 11 408	100 Amp. 415V.	1	9090.00
K - 11 409	200 Amp. 415V.	1	12402.00




Double Pole Change over sheet metal switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 410	32 Amp. 240V.	8	1665.00

Three Pole Change over sheet metal switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 411	32 Amp. 415V.	5	2106.00



Fuse Unit Sheet Metal Cutout

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 412	16 Amp. 240V.	40	252.00
K - 11 413	32 Amp. 415V.	20	441.00
K - 11 414	63 Amp. 415V.	6	981.00
K - 11 415	100 Amp. 415V.	6	1485.00



Four Pole Change over sheet metal switch gear

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 416	16 Amp. 415V.	6	2070.00
K - 11 417	32 Amp. 415V.	4	2322.00
K - 11 418	63 Amp. 415V.	2	5715.00
K - 11 419	100 Amp. 415V.	1	10098.00
K - 11 420	200 Amp. 415V.	1	20304.00
K - 11 421	300 Amp. 415V.	1	24354.00
K - 11 422	400 Amp. 415V.	1	31662.00



Four Pole Change over sheet metal FP (Knife Type)

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 423	63 Amp. 415V.	2	10962.00
K - 11 424	100 Amp. 415V.	2	12177.00
K - 11 425	200 Amp. 415V.	1	23139.00
K - 11 426	320 Amp. 415V.	1	25569.00

Fuse Unit Porcelain Kit-Kat fuse unit

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 427	16 Amp. 240V.	120	63.00
K - 11 428	16 Amp. 415V.	80	108.00
K - 11 429	32 Amp. 415V. (Handle Type)	40	180.00
K - 11 430	63 Amp. 415V.	18	441.00
K - 11 431	100 Amp. 415V.	8	846.00
K - 11 432	200 Amp. 415V.	6	1602.00
K - 11 433	300 Amp. 415V. with legs	3	3438.00
K - 11 434	500 Amp. 415V. with legs	3	3816.00






R & F Re-wirable switch

Product Code	Rating Amps./Volts.	Car. Pkg.	M.R.P. Per Unit (₹)
K - 11 435	16A / 240V.	30	558.00
K - 11 436	25A / 415V.	20	954.00
K - 11 437	32A / 415V.	20	1458.00



DISTRIBUTION BOARD





Rotary Switch **Cam Operated Rotary Switch**

New Product Code	Old Code	Rating / Amps.	Std. Pkg.	Price / Unit (₹)
K - 11 501	301	25 amp.	60	558.00
K - 11 502	302	32 amp.	60	585.00
K - 11 503	303	40 amp.	30	495.00
K - 11 504	304	63 amp.	30	531.00

Modular Construction | Enhanced Life | High Reliability | Aesthetic Design
Temperature Withstand Capability | Voltage Impulse Test



Metallic Single Door compact distribution board

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 505	305	1 & 2 MCB Enclosure (Cutouts)	40	270.00
K - 11 506	306	3 & 4 MCB Enclosure (Cutouts)	30	324.00

Sheet Steel, Phosphatised, Powder Coated MCB DBs With Bus Bar (Without MCB'S)



Metallic Single Door compact distribution board

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 507	307	4 Way Single Phase	20	441.00
K - 11 508	308	6 Way Single Phase	16	558.00
K - 11 509	309	8 Way Single Phase	12	774.00
K - 11 510	310	12 Way Single Phase	10	882.00
K - 11 511	311	16 Way Single Phase	10	999.00

Sheet Steel, Phosphatised, Powder Coated MCB DBs With Bus Bar (Without MCB'S)



Smart Metallic phase Changeover

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 512	322	25/32 Amp.	12	567.00
K - 11 513	323	40/63 Amp.	12	729.00
K - 11 514		32 Amp. (with Rotary & Wiring)	8	3780.00
K - 11 515		40 Amp. (with Rotary & Wiring)	8	3807.00
K - 11 516		63 Amp. (with Rotary & Wiring)	8	3861.00






Metallic Plug Socket Enclosure

New Product Code	Old Code	Particulars	Rating	Std. Pkg.	Price / Unit (₹)
K - 11 517	335	20 Amp. SPN (AC Box)	20 A	20	585.00
K - 11 518	355	20 Amp. SPN Enclosure	20 A	40	297.00
K - 11 519	356	20 Amp. SPN Enclosure (with Plug & Socket).	20 A	30	765.00




Smart Industrial Metal Clad plug & Sockets

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 520	340	Metal Clad Socket (20A,2P +E)	60	171.00
K - 11 521	341	Metal Clad Plug (20A,2P +E)	60	162.00



Smart Meter Box


New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 522	344	32 amps. SPN	3	2340.00
K - 11 523	345	63 amps. TPN	2	3600.00



New Three Phase Double Door DB's

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 524	351	4 Way	4	2340.00
K - 11 525	352	6 Way	2	2700.00


Sheet Steel enclosures with double door detachable gland plates for flushed / surface mounting with bus bars neutral link & earth bar (without MCB's)



New Single Phase Double Door DB's


New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 526	346	4 Way	8	945.00
K - 11 527	347	6 Way	8	1008.00
K - 11 528	348	8 Way	6	1188.00
K - 11 528A	348A	10 Way	6	1350.00
K - 11 529	349	12 Way	6	1485.00
K - 11 530	350	16 Way	4	1674.00

Sheet Steel enclosures with double door detachable gland plates for flushed / surface mounting with bus bars neutral links & earth bar (without MCB's)



Metallic Double door phase selector Db's

New Product Code	Old Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 531	319	40 Amp. 4 Way Phase Selector (JR)	3	3303.00
K - 11 532	320	40 Amp. 4 Way Phase Selector (SR)	2	3330.00
K - 11 533	321	40 Amp. 6 Way Phase Selector (SR)	2	4500.00


New Phase Selector DB with fitting (Without MCB)

New Product Code	Old Code	Particulars - 4 Way	Std. Pkg.	Price / Unit (₹)
K - 11 534	353	40amps. Junior with fitting 4 Way	3	6345.00
K - 11 535	354	63amps. Junior with fitting 4 Way	3	6525.00
New Product Code	Old Code	Particulars - 6 Way	Std. Pkg.	Price / Unit (₹)
K - 11 536	353A	40amps. Junior with fitting 6 Way	3	6480.00
K - 11 537	354A	63amps. Junior with fitting 6 Way	3	6642.00


Unique Single Phase Double Door Db's - Compact

New Product Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 541	4 Way	8	774.00
K - 11 542	6 Way	8	864.00
K - 11 543	8 Way	6	990.00
K - 11 544	10 Way	6	1287.00
K - 11 545	12 Way	6	1332.00
K - 11 546	16 Way	4	1440.00

Sheet Steel enclosures with double door detachable gland plates for flushed / surface mounting with bus bars neutral links & earth bar (without MCB's)


Unique Smart Meter Box - Digital

New Product Code	Particulars	Std. Pkg.	Price / Unit (₹)
K - 11 551	32 amps. SPN	4	2070.00
K - 11 552	63 amps. TPN	3	3150.00


PRO Pro DB's Series


New Product Code	Old Code	Particulars	Rating	Std. Pkg.	Price / Unit (₹)
K - 15 536	401	4 Way	40 A	2	14616.00
K - 15 537	402	6 Way	40 A	2	14742.00
K - 15 538	403	4 Way	63 A	2	15939.00
K - 15 539	404	6 Way	63 A	2	17271.00

This DB's Inbuilt Rotary Switches, Complete Wiring, Neon Sign, Wiring Kit)



TECHNOLOGY

that Ensures Perfect
POWER DISTRIBUTION



Phase Selector
Rotary Switch

Indicator

MCB's

SALIENT FEATURES

- Latest Inbuilt Locking System.
- Absolute Shock Proof by earthing door.
- Furnished with insulated Copper Bus bar rating upto 100A that safeguard from short circuit current.
- Ample wiring space is provided to ensure proper distribution of Neutral and Earth wires.
- Masking sheet (Cement Guard) offers added safety by preventing cement from entering while installation.

AN ISO 9001:14001 CERTIFIED CO.

Tej Galaxy



A better tomorrow begins with
INNOVATIVE
Today



INTERNATIONALLY APPROVED



Wires & Cables | Switch Gears | LED Lighting Solutions

Terms & Conditions

This price list cancels all our previous price list | The Company reserves the rights to changes any of the above product specifications or prices without any prior notice | Information given here is in good faith. Sankeshwara Industries shall not be liable for any damages arising out of incorrect use | Any products returned without any manufacturing defect may be acceptable back at 25% lesser than current value | Applicable GST or any other levies will be charge extra | Any dispute are subject to Delhi jurisdiction only.

Date of Issue: MARCH 2022

Mfd. by:

Sankeshwara Industries

No. 5 G.T Road, Dhilsad Garden, Industrial Area, Delhi - 110095

E-mail: info@kraftcable.in web: www.kraftcable.com

Help Line : +91 96 970 97 980

