

AN ISO 9001:14001 CERTIFIED CO.



EMPOWERING Connections Energizing FUTURE



Internationally Approved :



IS/IEC 60898-1:2002



CMIL-8633584

SWITCH GEARS

PRODUCT & PRICING MANUAL
LP 05 - MAY, 2024.

Passion for Innovation


At **KRAFT**, we are revolutionizing the electrical products industry with our *unwavering commitment to safety and innovation*. As an emerging leader in the market, we pride ourselves on delivering the safest and most innovative products to meet the evolving needs of our customers.

With a *dedication to excellence* in design, manufacturing, and quality assurance, we ensure that every product bearing our name exceeds industry standards for safety and performance. Our team of expert engineers and designers are constantly pushing the boundaries of what's possible, utilizing cutting-edge technology and forward-thinking solutions to create products that set new benchmarks for reliability and efficiency.


At the heart of our company is a *passion for innovation*. We believe in challenging the status quo and constantly seeking new ways to improve and enhance our products. From advanced energy-saving technologies to intuitive user interfaces, we are committed to providing our customers with solutions that not only meet their needs but exceed their expectations.

As we continue to grow and expand our presence in the market, we remain steadfast in our commitment to delivering the highest quality products and exceptional customer service. With **KRAFT**, you can trust that you are getting the safest, most innovative electrical products.

INTERNATIONALLY APPROVED



MCB's & RCCB's



SALIENT FEATURES

- Safe from bulge or wrap, when high cross sectional cables are terminated.
- Apt for Reverse Feed Connections (Line and Load) & Rated Breaking Capacity 10 kA.
- Coloured indication of switch-ON and OFF positions.
- Silver Graphite contact tips assure Antiweld Property.
- Snap-On-Back mounting for 35mm x 15mm symmetrical DIN rail.
- Terminals suitable for Cable+Bus bar termination.
- Terminal capacity 1-25 mm² & Terminal fastening torque 2.0-2.5 Nm



Ensures
Safety




Shockproof
Life



Less
Maintenance



Trip-Free
Mechanism

**MCB's****Single Pole Smart 10kA 'C' Curve**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 201	0.5 - 5 AMP.	12	240	207.00
K - 11 202	6 - 32 AMP.*	12	240	144.00
K - 11 203	40 AMP.	12	240	324.00
K - 11 204	50 - 63 AMP.	12	240	396.00

Single Pole N 10kA 'C' Curve



Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 205	0.5 - 5 AMP.	6	120	522.00
K - 11 206	6 - 32 AMP.*	6	120	504.00
K - 11 207	40AMP.	6	120	630.00
K - 11 208	50 - 63 AMP.	6	120	765.00

**Double Pole N 10kA 'C' Curve (DP)**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 209	0.5 - 5 AMP.	6	120	540.00
K - 11 210	6 - 32 AMP.*	6	120	468.00
K - 11 211	40AMP.	6	120	522.00
K - 11 212	50 - 63 AM	6	120	567.00

Three Pole 10kA 'C' Curve (TP)



Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 213	0.5 - 5 AMP.	4	80	864.00
K - 11 214	6 - 32 AMP.*	4	80	738.00
K - 11 215	40AMP.	4	80	1080.00
K - 11 216	50 - 63 AM	4	80	1350.00

**Three Pole N 10kA 'C' Curve**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 217	0.5 - 5 AMP.	3	60	1251.00
K - 11 218	6 - 32 AMP.*	3	60	1101.00
K - 11 219	40AMP.	3	60	1422.00
K - 11 220	50 - 63 AM	3	60	1782.00

MCB's**Four Pole Smart 10kA 'C' Curve**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 221	0.5 - 5 AMP.	3	60	1296.00
K - 11 222	6 - 32 AMP.*	3	60	1035.00
K - 11 223	40AMP.	3	60	1296.00
K - 11 224	50 - 63 AM	3	60	1656.00

**ISOLATORS****Single Pole N**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 225	25 AMP.	12	240	207.00
K - 11 226	40 AMP.	12	240	207.00
K - 11 227	63 AMP.	12	240	243.00

Double Pole (DP)


Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 228	25 AMP.	6	120	306.00
K - 11 229	40 AMP.	6	120	342.00
K - 11 230	63 AMP.	6	120	405.00
K - 11 231	80 AMP.	6	120	675.00
K - 11 232	100 AMP.	6	120	684.00

**Three Pole (TP)**

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 233	25 AMP.	4	80	567.00
K - 11 234	40 AMP.	4	80	567.00
K - 11 235	63 AMP.	4	80	630.00
K - 11 236	80 AMP.	4	80	756.00
K - 11 237	100 AMP.	4	80	774.00

Four Pole

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 238	25 AMP.	3	60	720.00
K - 11 239	40 AMP.	3	60	720.00
K - 11 240	63 AMP.	3	60	756.00
K - 11 241	80 AMP.	3	60	1215.00
K - 11 242	100 AMP.	3	60	1242.00



Change Over

Double Pole Smart Two - Way Center off Mini Change Over Switch



Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 243	25 AMP.	6	120	522.00
K - 11 244	40 AMP.	6	120	540.00
K - 11 245	63 AMP.	6	120	630.00

Four Pole Smart Two - Way Center off Mini Change Over Switch

Product Code	Rating / Amps.	Std. Pkg	Pkg.Unit	Price / Unit (₹)
K - 11 246	25 AMP.	3	60	1008.00
K - 11 247	40 AMP.	3	60	1071.00
K - 11 248	63 AMP.	3	60	1512.00

RCCB

Double Pole (DP)

Product Code	Rating / Amps.	Sensitivity (mA)	Price / Unit (₹)
K - 11 249	16 - 25 AMP.	100-300 mA	2250.00
K - 11 250	40AMP.	100-300 mA	2340.00
K - 11 251	63 AMP.	100-300 mA	3384.00
K - 11 252	80 AMP.	100-300 mA	4405.00
K - 11 253	100 AMP.	100-300 mA	4500.00
K - 11 254	16 - 25 AMP.	30 mA	2142.00
K - 11 255	40AMP.	30 mA	2250.00
K - 11 256	63 AMP.	30 mA	3150.00
K - 11 257	80 AMP.	30 mA	4156.00
K - 11 258	100 AMP.	30 mA	4176.00





Four Pole (FP)

Product Code	Rating / Amps.	Sensitivity (mA)	Price / Unit (₹)
K - 11 259	16 - 25 AMP.	100-300 mA	2250.00
K - 11 260	40AMP.	100-300 mA	2340.00
K - 11 261	63 AMP.	100-300 mA	3600.00
K - 11 262	80 AMP.	100-300 mA	4500.00
K - 11 263	100 AMP.	100-300 mA	4608.00
K - 11 264	16 - 25 AMP.	30 mA	2340.00
K - 11 265	40AMP.	30 mA	2430.00
K - 11 266	63 AMP.	30 mA	3384.00
K - 11 267	80 AMP.	30 mA	4500.00
K - 11 268	100 AMP.	30 mA	4500.00



Because we have
Nothing to hide !!

AN ISO 9001:14001 CERTIFIED CO.



MCB's

AN ISO 9001:14001 CERTIFIED CO.



TECHNOLOGY

for smooth operations



www.kraftcable.com

Single Pole - N Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 401	16 AMP. 240V	18	612.00
K - 11 402	32 AMP. 240V	8	1314.00



Double Pole - N Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 403	16 AMP. 240V	18	630.00
K - 11 404	32 AMP. 240V	8	1386.00



Three Pole - N Sheet Metal N/L re-wireable porcelain switch gear

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 405	16 AMP. 415V	6	1782.00
K - 11 406	32 AMP. 415V	4	2142.00
K - 11 407	63 AMP. 415V	2	5544.00
K - 11 408	100 AMP. 415V	1	9999.00
K - 11 409	200 AMP. 415V	1	13680.00



Double Pole Change Over Sheet Metal Switch Gear

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 410	32 AMP. 240V	8	1836.00



Three Pole Change Over Sheet Metal Switch Gear

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 411	32 AMP. 415V	4	2313.00



Fuse Unit Sheet Metal Cutout

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 412	16 AMP. 240V	40	270.00
K - 11 413	32 AMP. 415V	20	477.00
K - 11 414	63 AMP. 415V	6	1080.00
K - 11 415	100 AMP. 415V	6	1530.00

Four Pole Change Over Sheet Metal Switch Gears

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 416	16 AMP. 415V	6	2277.00
K - 11 417	32 AMP. 415V	4	2556.00
K - 11 418	63 AMP. 415V	2	6300.00
K - 11 419	100 AMP. 415V	1	11700.00
K - 11 420	200 AMP. 415V	1	22500.00
K - 11 421	300 AMP. 415V	1	27000.00
K - 11 422	400 AMP. 415V	1	36000.00



Four Pole Change Over Sheet Metal FP (Knife Type)

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 423	63 AMP. 415V	2	12150.00
K - 11 424	100 AMP. 415V	2	13450.00
K - 11 425	200 AMP. 415V	1	25470.00
K - 11 426	320 AMP. 415V	1	27360.00

Fuse Unit Pcelain Kit-Kat Fuse Unit

Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 427	16 AMP. 240V	120	72.00
K - 11 428	16 AMP. 415V	80	117.00
K - 11 429	32 AMP. 415V (Handle Type)	40	207.00
K - 11 430	63 AMP. 415V	18	504.00
K - 11 431	100 AMP. 415V	8	981.00
K - 11 432	200 AMP. 415V	6	1854.00
K - 11 433	300 AMP. 415V with legs	3	3960.00
K - 11 434	500 AMP. 415V with legs	3	4446.00



R & F Re-wirable Switch


Product Code	Rating / Amps.	Car. Pkg.	Price / Unit (₹)
K - 11 435	16 A / 240V	30	603.00
K - 11 436	25 A / 415V	20	1026.00
K - 11 437	32 A / 415V	20	1566.00



DISTRIBUTION BOARD





Handle for
Easy to
Open/Close
Door



Inbuilt
Locking
System

Door
Earthing



Rotary Switch Cam Operated Rotary Switch

Product Code	Old Code	Rating / Amps.	Std. Pkg	Price / Unit (₹)
K - 11 501	301	25 AMP.	60	603.00
K - 11 502	302	32 AMP.	60	630.00
K - 11 503	303	40 AMP.	30	657.00
K - 11 504	304	63 AMP.	30	657.00



Metallic Single Door Compact Distribution Boards (NEW)

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 505	305	1 & 2 MCB Enclosure (Cutouts)	40	162.00
K - 11 506	306	3 & 4 MCB Enclosure (Cutouts)	30	207.00

Metallic Single Door Compact Distribution Boards

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 507	307	4 Way Single Phase	20	468.00
K - 11 508	308	6 Way Single Phase	16	585.00
K - 11 509	309	8 Way Single Phase	12	810.00
K - 11 510	310	12 Way Single Phase	10	936.00
K - 11 511	311	16 Way Single Phase	10	999.00



(NEW)
(NEW)
(NEW)

Smart Metallic Phase Change Over


Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 512	322	25/32 AMP.	12	603.00
K - 11 513	323	40/63 AMP.	12	801.00
K - 11 514		32 AMP. (with Rotary & Wiring)	8	3420.00
K - 11 515		40 AMP. (with Rotary & Wiring)	8	3600.00
K - 11 516		63 AMP. (with Rotary & Wiring)	8	3663.00

**Metallic Plug Socket Enclosure**

Product Code	Old Code	Particulars	Rating	Std. Pkg	Price / Unit (₹)
K - 11 517	335	20 AMP. SPN (AC BOX)	20A	20	603.00
K - 11 518	355	20 AMP. SPN ENCLOSURE	20A	40	306.00
K - 11 519	356	20 AMP. SPN ENCLOSURE (with Plug & Socket)	20A	30	801.00

Smart Industrial Metal Clad Plug & Sockets

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 520	340	Metal Clad Socket (20A, 2P+E)	60	180.00
K - 11 521	341	Metal Clad Plug (20A, 2P+E)	60	171.00

**Smart Meter Box**

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 522	344	32 Amps. SPN	3	2520.00
K - 11 523	345	63 Amps. TPN	2	3781.00

Three Phase Double Door Db's

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 524	351	4 Way	4	2520.00
K - 11 525	352	6 Way	2	2835.00

**Single Phase Double Door Db's**

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 526	346	4 Way	8	990.00
K - 11 527	347	6 Way	8	1053.00
K - 11 528	348	8 Way	6	1260.00
K - 11 528A	348A	10 Way	6	1440.00
K - 11 529	349	12 Way	6	1557.00
K - 11 530	350	16 Way	4	1800.00



Metallic Double Door Phase Selector Db's

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 531	319	40 Amp. 4 Way Phase Selector (JR)	3	3420.00
K - 11 532	320	40 Amp. 4 Way Phase Selector (SR)	2	3510.00
K - 11 533	321	40 Amp. 6 Way Phase Selector (SR)	2	4770.00



Phase Selector DB with Fitting (Without MCB)

Product Code	Old Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 534	353	40 Amps. Junior with Fitting 4 Way	3	6660.00
K - 11 535	354	63 Amps. Junior with Fitting 4 Way	3	6840.00
K - 11 536	353A	40 Amps. Junior with Fitting 6 Way	3	6930.00
K - 11 537	354A	63 Amps. Junior with Fitting 6 Way	3	7002.00

UNIQUE Single Phase Double Door Db's - Compact

Product Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 541	4 Way	8	810.00
K - 11 542	6 Way	8	900.00
K - 11 543	8 Way	6	1044.00
K - 11 544	10 Way	6	1350.00
K - 11 545	12 Way	6	1440.00
K - 11 546	16 Way	4	1530.00



Sheet Steel enclosures with double door detachable gland plates for flushed / surface mounting with bus bars neutral links & earth bar (without MCB's)




UNIQUE Smart Meter Box - Digital

Product Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 551	32 AMPS. SPN	4	2250.00
K - 11 552	63 AMPS. TPN	3	3303.00

PRO Db's Series

Product Code	Old Code	Particulars	Rating	Std. Pkg	Price / Unit (₹)
K - 15 536	401	4 WAY	40A	2	14616.00
K - 15 537	402	6 WAY	40A	2	14742.00
K - 15 538	403	4 WAY	63A	2	15939.00
K - 15 539	404	6 WAY	63A	2	17271.00

This DB's Inbuilt Rotary Switches, Complete Wiring, Neon Sign, Wiring Kit)





KRYSTA SPN ACRYLIC DOOR DB'S

Product Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 601	6 Way	12	1413.00
K - 11 602	8 Way	12	2007.00
K - 11 603	12 Way	6	2151.00

Modular Plug and Socket

Product Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 604	DB 16A SP MODULAR PLUG SOCKET	20	900.00



Mini MCB DP with Enclosure

Product Code	Particulars	Std. Pkg	Price / Unit (₹)
K - 11 605	32A DPC	25	450.00

MOBILE PLUG



MOBILE CONNECTOR



WALL MOUNTED SOCKET



FLANGED PANEL SOCKET



Product Code	Particulars	Poles	Std. Pkg	Price / Unit (₹)
K - 11 606	PS SPNE 16A IP44 6H MP	2P+E	48	396.00
K - 11 607	PS TPNE 63A IP67 6H MP	3P+N+E	6	2821.00
K - 11 608	PS SPNE 16A IP44 6H MC	2P+E	36	521.00
K - 11 609	PS TPNE 63A IP67 6H MC	3P+N+E	6	3280.00
K - 11 610	PS SPNE 16A IP44 6H WMS	2P+E	16	519.00
K - 11 611	PS TPNE 63A IP67 6H FPSI	3P+N+E	12	2945.00



TECHNOLOGY

THAT ENSURES PERFECT POWER DISTRIBUTION


SALIENT FEATURES

Latest Inbuilt Locking System | Absolute Shock Proof by earthing door | Furnished with insulated Copper Bus bar rating upto 100A that safeguard from short circuit current | Ample wiring space is provided to ensure proper distribution of Neutral and Earth wires | Masking sheet (Cement Guard) offers added safety by preventing cement from entering while installation | IP - 43

AN ISO 9001:14001 CERTIFIED CO.



A BETTER TOMORROW BEGINS WITH
INNOVATIVE
TODAY!




INTERNATIONALLY APPROVED:



WIRES & CABLES | SWITCH GEARS | LED LIGHTING SOLUTIONS

www.kraftcable.com

AN ISO 9001:14001 CERTIFIED CO.



Life just got
BRIGHTER

Terms & Conditions

This price list cancels all our previous price list | The Company reserves the rights to changes any of the above product specifications or prices without any prior notice | Information given here is in good faith. Sankeshwara Industries shall not be liable for any damages arising out of incorrect use | Any products returned without any manufacturing defect may be acceptable back at 25% lesser than current value | Applicable GST or any other levies will be charge extra | Any dispute are subject to Delhi jurisdiction only.

Date of Issue: MAY 2024

Mfg. By:

SANKESHWARA INDUSTRIES,

#A-10/2, Jhilmil Industrial Area,

Delhi - 110 095 | Help Line : +91 904 336 3366

E-mail: info@kraftcable.in | www.kraftcable.com.

Tej Galaxy